

TC - PB - Porter-Cable Machine Co. 1956

PRICE 10 CENTS

CATALOG NO. 104



IN
YOUR
HANDS
TOO . . .

*professional results with
professional tools*

Porter-Cable


Quality Electric Tools

Distributed By

W. W. WOOD
MACHINE CO.
655 STOCKTON AVENUE
SAN JOSE 26, CALIFORNIA
Cypress 7-4070

FINE TOOLS for Building, Woodworking, Maintenance


PORTER-CABLE MACHINE COMPANY From the collections of The Henry Ford GUSE B. N. Y.




The Porter-Cable trade-mark is your assurance that you have bought the finest portable tool your money can buy.

GUARANTEE

All Porter-Cable machines have been carefully tested and inspected at the Factory and are guaranteed to be free from any defect in material or workmanship. The Company will, under this guarantee, repair or replace any parts which prove, upon examination, to be defective. The complete machine must be returned prepaid to the Factory, a Factory Branch, or any Authorized Service Station. Repairs made by other than the Authorized Agencies automatically voids this guarantee.



The following Porter-Cable Machines have been listed under the Re-examination Service of the Underwriter's Laboratories, Inc. and are approved by the Canadian Standards Association: A-2*, A-3, A-4*, BK-10*, BK-12*, D-6*, 103R, 106A, 107, 108, 109, 115, 116, 125, 126, 127, 131, 137, 146, 154, 156, 157, 160, 161, 500, 503, 509, 515, 516, 517, 521, 522, 524, 528, 1100 Motor, 5504 Motor, 5511 Motor, 134 and 135 (UL approved), 140, 143, 144, 145, and 148. *Canadian Models approved by CSA



NOTE TO DEALERS

Dealer classification, by letter, is shown at the top of each tool listing in this catalog. "A" Dealers may handle all products where the letter "A" appears; "B" Dealers may handle all products where the letter "B" appears; etc.

CONTENTS

- Abrasive Belts, Discs, Sheets 30
- Band Saw 7
- Bayonet Saw 7
- Bench Grinders 10
- Bits, Cutters, Accessories 27, 28, 29, 30
- Chain Saws 17
- Cultivators 17
- Door Hanging Kits 25
- Drills and Accessories 15, 16
- Electric Scythe 18
- Grass Trimmer 18
- Hedgehears 19
- Lock Mortiser 26
- Planes 22, 24
- Plastics Trimming Kit 21
- Porta-Shop 8
- Routers 20, 21, 23
- Routo-Jig 20
- Sanders:
 - Belt 10, 11, 12
 - Finishing 13, 14
 - Pneumatic 9
- Sander-Polisher 9
- Saw Blades 8
- Saw Table 8
- Saws 2-6
- Screwdriver Drill Kit 16
- Shaper Table 20, 22
- Sharpening Attachment, Bit and Cutter 26
- Sharpening Attachment, Plane 22
- Templets:
 - Dovetail 26
 - Hinge Butt 25
 - Lock Face 25
 - Stair 26

PORTER-CABLE AUTHORIZED SERVICE STATIONS


All Service Stations are required to meet rigid standards regarding parts, prices, methods, workmanship, equipment and guarantee. Service Stations

are inspected regularly by the Porter-Cable Service Department to make sure that they maintain these standards.


- *Atlanta 8, Ga. Porter-Cable Machine Co., 83 Mills St., N. W.
- Baltimore 2, Md. Roland Electrical Co., 418 E. Pratt St.
- Binghamton, N. Y. H. P. Marsh Co., 65 Glenwood Ave. at Lake Ave.
- *Braakline 46, Mass. Porter-Cable Machine Co., 358 Harvard St.
- Buffalo 14, N. Y. Alfred C. Kollmar, 364 Dewey Ave.
- *Chicago, Ill. Porter-Cable Machine Co., 5707 W. Division St.
- Cincinnati, O. Matlack Electric Co., 1456 Harrison St.
- *Cleveland 14, O. Porter-Cable Machine Co., 1465 St. Clair Ave.
- Columbus, O. B. R. Shoemaker, 1201 Christopher St.
- Corpus Christi, Tex. Smith Shields Electric Works, 314 S. Chapparral St.
- *Dallas 4, Tex. Porter-Cable Machine Co., 1712-14 So. Akard St.
- Denver 4, Col. Bill Bartell Tool Service, 39 W. 11th St.
- Des Moines, Ia. Puckett Electric Tool Repair, 1104 Kea Way
- *Detroit, Mich. Porter-Cable Machine Co., 17217 Wyoming Ave.
- El Paso, Tex. Francis Wagner Co., 1225 Texas St.
- Greensboro, N. C. Electric Service and Sales, 1423 Battleground Ave.
- Hempstead, L. I., N. Y. Able Electric Tool Co., 238 North Franklin St.
- Houston 3, Tex. Welders Supply Co., 3301 Palk at Sampson
- Indianapolis 1, Ind. Complete Electric Service, 2811 E. New York St.
- Jacksonville, Fla. Turner Elec. Works, 1020 E. 8th St., P. O. Box 4247
- *Kansas City, Mo. Porter-Cable Machine Co., 1649 Jarboe St.
- Livingston, Mont. J. Manzari, P. O. Box 652
- *Los Angeles 15, Calif. Porter-Cable Machine Co., 1634 Sa. Flower St.
- Louisville, Ky. Ellingsworth Auto Electric Co., 1009 East Broadway
- Memphis, Tenn. Tri-State Armature & Elec. Co., 321 E. Butler
- Miami 3, Fla. Florida Electric Motor Co., 235 N.W. 2nd Ave.
- Milwaukee, Wis. Industrial Elec. Motor Service, 1316 N. 12th Lane
- Minneapolis, Minn. General Parts & Supply, 64-66 Glenwood Ave.
- Newark, N. J. Able Portable Electric Tool Co., 85 Columbia St.
- New Haven, Conn. New Haven Elec. Mach. Co., 689 Congress Ave.
- New Orleans, La. New Orleans Armature Works, 2311 Tchoupitoulas St.
- *New York 12, N. Y. Porter-Cable Machine Co., 101 Crasby St.

- Oklahoma City 3, Okla. Hohmann Appliance Service, 316 N. W. 6th St.
 - *Philadelphia 30, Pa. Porter-Cable Machine Co., 1819 Fairmount Avenue
 - Pittsburgh, Pa. Snyder Electric Co., 1919 Chateau St.
 - Portland 9, Ore. Cyrus Electric Tool Co., 326 N. W. 6th
 - Richmond 21, Va. Roy's Electric Motor Service, 3201 Norfolk St.
 - San Antonio, Tex. Duke Electric, 500 6th
 - Salt Lake City, Utah Electric Motor & Supply Co., 351 W. Fourth St.
 - *San Francisco, Calif. Porter-Cable Machine Co., 1101 20th St.
 - Schenectady, N. Y. Barrett Electric Service Inc., 108-116 Henry St.
 - Seattle 22, Wash. Trace Electric Co., 1524 12th Ave.
 - Spokane, Wash. K. & N. Elec. Motors Inc., 1311 N. Washington St.
 - St. Louis, Mo. Standard Elec. Co., 3880 Washington Blvd.
 - *Syracuse 8, N. Y. Porter-Cable Machine Co., 1714 N. Salina St.
 - Tampa 4, Fla. Patrick Electroal Service, 1509 W. Hillsboro
 - Toledo, O. Electric Tool Service, 1911 Giant St.
 - Washington, D. C. Central Armature Works, 625 "D" St., N. W.
- CANADA**
- Calgary, Alta. Electric Crafts, Ltd., 106 6th Ave. W.
 - Edmonton, Alta. Bennett & Emmatt, Ltd., 9636 101A Ave.
 - Halifax, N. S. Acme Elec. & Mach. Shop, 93 Billy St.
 - *London, Ont. Porter-Cable Power Tools [Canada] Ltd., Osler St., P.O. Box 5019
 - Montreal, Que. Perca, Ltd., 5272 St. Lawrence Blvd.
 - Na. Hamilton W. Orlick, Ltd., 173 Ferguson Ave.
 - St. John, N. B. E. S. Stephenson & Co.
 - Saskatoon, Sask. Bowman Bros. Ltd.
 - Toronto, Ont. Electric Repair & Motor Co., 81 St. Patrick St.
 - Vancouver, B. C. Armature Electric Service, 1055 Seymour
 - Winnipeg, Man. Luke's Elec. Motor & Mach. Co., 324 Notre Dame St.

- HAWAII**
- Honolulu Craft Center, Ltd., 702 Kapahua
 - *Factory Sales and Service Branch



Heavy Duty



Standard Duty

MODEL A-4 SAW

4 1/2" Dia. Blade

AB

The Model A-4 is a handy, powerful saw which is used by homecraftsmen as well as carpenters. It is used for repairing or remodeling homes and building all types of wood-working projects such as furniture, cabinets, etc. Especially good for cutting large composition or wood panels where larger saws would prove too heavy or awkward.

Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle, 5 Amp. (230 V available at extra cost)

Blade Type: Combination (Part No. 34-A4)

Blade Size: 4 1/2" dia.; 3/8" round hole

Max. Depth of Cut: 90°-1 1/4"; 45°-1"

Min. Depth of Cut: 90°-1/4"; 45°-0"

Speed: Idle, 1850 RPM; Load, 1400 RPM

Size: 10 1/2" length, 4 1/2" width, 8" height

Bearings: Precision Ball



Cord: 10'

Furnished with Machine: Rip Guide (8Y-A4);

Wrench (1767-X); Lubricant; Operating Manual

Net Weight: 6 3/4 lbs.

Shipping Weight: 10 lbs.



Accessory Equipment

41-A4 Carrying Case

113-A4 Cross-Cut Guide

25Y-K75 Protractor Gauge
Lubricant

5019 50' Extension Cord

Refer to Page 8 for Saw Blades

MODEL 125 SAW

6" Dia. Blade

ABC

The 125 Saw has been planned for the homeowner. It includes, at a very low price, many features of professional Porter-Cable Saws. It has the famous KickProof Clutch, a positive safety factor which eliminates kickbacks completely and saves wear and tear on the gears and motor. It boasts instant depth and bevel adjustments, and a safe telescoping guard. This saw is the biggest dollars worth of saw a homecraftsman can buy. Fits 5010 Saw Table.

Specifications

Motor: Universal, 115 V, AC-DC, 25-60 Cycle, 9 Amp. (230 V at extra cost)

Blade Type: Combination (Part No. 19-SC)

Blade Size: 6" dia., 3/8" round hole

Max. Depth of Cut: 90°-1 1/8"; 45°-1 1/32"

Min. Depth of Cut: 90°-1 1/16"; 45°-3/16"

Speed, RPM: Idle, 5100; Load, 3300

Bearings: Precision Ball and Self-Lubricating

Bronze

Size: 10 1/2" long; 7 5/8" wide; 8 1/2" high



Card: 10'

Furnished with Machine: Wrench (1931-X);

Operating Manual.

Net Weight: 8 lbs.

Shipping Weight: 12 1/2 lbs.



Accessory Equipment

23-SC Carrying Case

6Y-SC Rip Guide

24-SC Rip Blade

25-SC Cross Cut Blade

26-SC Planer Blade

25Y-K75 Protractor Gauge

BB-6Y Saw Table Adapter

133-YX Solid Lockup Pkg.

Refer to page 8 for Saw Blades

MODEL 125K SAW KIT

Contents:

125 Saw

23-SC Carrying Case

6Y-SC Rip Guide


122-A6 Spacer

Wrench

Porter-Cable

Quality Electric Tools

From the collections of **The Henry Ford.**



Standard Duty



Heavy Duty

MODEL 160 SAW




6 1/2" Dia. Blade

ABC

Here in a low-priced saw is big saw performance with all exclusive features found on professional Porter-Cable Saws. The Model 160 makes every possible cut, including compound miters at 45 degrees in 2" dressed lumber. Extra power is provided by the rugged 9 Amp. Universal motor. The famous KickProof Clutch eliminates the possibility of kickback, and protects the operator, the tool, and the work. The newly developed safety telescoping guard prevents binding or jamming as the blade enters the work. Precision ball bearings assure longer tool life. Model 160 also features instant depth and calibrated bevel adjustment, and may be used in the Model 5010 Saw Table.

Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle, 9 Amp. (230 V available at extra cost)
Blade Type: Combination (146-12)
Blade Size: 6 1/2" dia.; 5/8" round hole
Max. Depth of Cut: 90°-2 3/8"; 45°-1 5/8"
Min. Depth of Cut: 90°-1"; 45°-3/4"
Speed: Idle, 5000 RPM; Load, 3500 RPM
Bearings: Precision Ball and self lubricating Bronze
Size: 9" high; 10 1/2" long; 7 5/8" wide
Cord: 10'
Furnished with Machine: Wrench, operating manual
Net Weight: 8 1/2 lbs.
Shipping Weight: 12 1/2 lbs.



Accessory Equipment

160-29 Carrying Case
 40-SC Rip Guide
 146-12 Combination Blade
 146-24 Rip Blade
 146-25 Cross Cut Blade
 146-23 Planer Blade
 146-20 Carbide Tip Blade
 25Y-K75 Protractor Gauge
 BB-6Y Saw Table Adapter
 133-YX Solid Lockup Package
 Refer to Page 8 for Saw Blades

MODEL 160K SAW KIT

Contents:
 160 Saw
 160-29 Carrying Case
 40-SC Rip Guide

MODEL 157 SAW


7 1/4" Dia. Blade

AB

The Model 157 with the blade on the left offers all the power and cutting capacity for any type construction work, plus the famous Porter-Cable features. KickProof Clutch prevents kickback, damage to motor and switch, and damage to workpiece. New broad base surrounds blade for full support on work. Calibrated depth and bevel adjustments easily set with quick-lock levers. New safety telescoping guard prevents jamming or binding in cut as saw enters work, even in compound miter cuts. Two man-sized handles assure positive control. All ball-bearing design means long life, low maintenance cost.

Specifications

Motor: Universal, 115 V, AC-DC, 25-60 Cycle, 12 Amp. (230 V at extra cost)
Blade Type: Combination (157-25)
Blade Size: 7 1/4" dia.; 3/8" round hole
Max. Depth of Cut: 90°-2 1/2"; 45°-1 1/8"
Min. Depth of Cut: 90°-0"; 45°-0"
Speed: Idle, 5650 RPM; Load, 3675 RPM
Bearings: Precision Ball throughout
Size: 13" long; 9" wide; 8 3/4" high
Furnished with Machine: 10' Cord, Double-end Wrench, Lubricant
Net Weight: 13 lbs.
Shipping Weight: 16 1/2 lbs.




Accessory Equipment


157-25 Combination Blade
 157-26 Rip Blade
 157-27 Cross Cut Blade
 157-28 Planer Blade
 157-29 Carrying Case
 157-6Y Rip Gauge
 25Y-K75 Protractor Gauge
 Lubricant
 143-YX Solid Lockup Package
 2539-X Adapter, Diamond Hole Blades
 5019 Cord, 50' Extension
 Refer to Page 8 for Saw Blades

MODEL 157K SAW KIT

Contents:
 157 Saw
 157-6Y Rip Gauge
 157-29 Carrying Case



Heavy Duty



Heavy Duty

MODEL 146 SAW

6 1/2" Dia. Blade

AB

All the professional features and performance at a home-craft price. Easily handles any cut including compound miters in 2" dressed lumber at 45° with speed and power of bigger saws. KickProof Clutch protects user, motor, and work. All ball-bearing design assures longer life and low maintenance cost. New safety telescoping guard prevents jamming or binding as blade enters work on bevel or miter cuts. New king-size lever for retracting guard for pocket cuts. More accurate depth and bevel adjustments are possible with calibrated scales—depth index adjustable to compensate for re-sharpened blades. Plus light weight for all-day use.

Specifications

Motor: Universal, 115 V, AC-DC, 25-60 Cycle, 9 Amp. (230 V at extra cost)
Blade Type: Combination (146-12)
Blade Size: 6 1/2" dia.; 3/8" round hole
Max. Depth of Cut: 90°-2 3/4"; 45°-1 3/8"
Min. Depth of Cut: 90°-1/32"; 45°-1/16"
Blade Speed, RPM: Idle, 5900; Load, 3670
Bearings: Precision Ball throughout
Size: 11" long, 7 5/8" wide; 9 3/8" high
Furnished with Machine: 10' Cord, Double-end Wrench

Net Weight: 11 lbs.

Shipping Weight: 14 1/2 lbs.



Accessory Equipment

146-22 Carrying Case
 146-12 Combination Blade
 146-23 Planer Blade
 146-24 Rip Blade
 146-25 Cross Cut Blade
 146-20 6" Carbide Tipped Blade
 25Y-K75 Protractor Gauge
 153-K75 Cross Cut Guide
 140-A6 Rip Guide
 5019 Cord Extension, 50'
 BB-3 Saw Table Adapter
 133-YX Solid Lockup Package
 Refer to Page 8 for Saw Blades

MODEL 146K SAW KIT

Contents:

146 Saw
 140-A6 Rip Guide
 146-22 Carrying Case



MODEL 115 SAW

7" Dia. Blade

AB

The heavy-duty 115 is used by builders, contractors, and home owners who want to own a rugged all-purpose saw. It contains many features, including the KickProof Clutch, found only in bigger, more expensive machines. Ideal for every type of general cutting operation because of its light weight and extremely powerful motor. This low-priced saw can also be used with the 5010 Saw Table. Also available in economical kit form.

Specifications

Motor: Univ., 115 V, AC-DC, 25-60 Cycle, 10 Amp. (230 V available at extra cost)
Blade Type: Combination (24-SB)
Blade Size: 7" dia.; 3/8" round hole
Max. Depth of Cut: 90°-2 3/8"; 45°-1 3/4"
Min. Depth of Cut: 90°-0"; 45°-1/16"
Speed: Idle, 5500 RPM; Load, 4500 RPM
Bearings: Precision Ball
Size: 11" length, 8 1/4" width, 9 3/4" height
Cord: 10'

Furnished with Machine: Wrench (1931-X); Operating Manual; Lubricant; 133-YX Solid Lockup Package

Net Weight: 12 1/2 lbs.

Shipping Weight: Model 115, 15 1/2 lbs.
 Model 115K, 23 lbs.


Accessory Equipment

23-SB Carrying Case
 13Y-A6 Rip Guide
 25Y-K75 Protractor Gauge
 153-K75 Cross-Cut Guide
 BB-4Y Saw Table Adapter
 5019 50' Extension Cord
 Refer to Page 8 for Saw Blades

MODEL 115K SAW KIT

Contents:

115 Saw
 23-SB Carrying Case
 13Y-A6 Rip Guide



Porter-Cable

Quality Electric Tools

SAWS

From the collections of **The Henry Ford**.